



Quotation-040106

Organisation:

Alderbury Parish Council

Project/Site Reference:

Youth Shelter

Date: November 24, 2021



Quotation-040106

Steve Milton Alderbury Parish Council Alderbury Parish Council Springfield Loosehanger Redlynch, Salisbury Wiltshire SP5 2PS

Site name/Project reference: Youth Shelter

Date: November 24, 2021

Quotation Valid Until: 24/12/2021

Prelims						
Qty	Code	Unit	Description	Price	Total Discount	Total Price
1.00	SS5-01	Each	Steel Skip - 6 yard - approx 4.59 cu m per skip Steel Skip for general waste. Please note - A skip permit may be requied from your local council if skip is placed on a public road. This permit is not included in our quotation and is clients responsibility to provide.	£326.00		£326.00

Youth S	helter					
Qty	Code	Unit	Description	Price	Total Discount	Total Price
1.00	YS107	Each	Hangout Youth Shelter (With Lexon back and Perforated Steel sides)- 4.0m x 2.5m x 2.5m High The Hangout shelter is big enough to take up to 10-12 people at a time. It makes a great place to hang out and like all our shelters. Manufactured from 89% recycled steel with super tough build quality and featuring perforated steel side panels and transparent Lexan panels that have 250 times the impact strength of glass - This robust and attractive shelter will be a popular addition to any facility	£9,031.00		£9,031.00
1.00	T1	EA	Discount for having no back panel	-£295.00		-£295.00









Registration No:6162029

Registered Office: As Above



Qty	de Unit	Code	Description	Price	Total Discount	Total Price
•	EA EA	T1	Youth Shelter Surface 4m x 3m Supply and lay 12m² of 50mm thick SUDS-bond surfacing SUDS-bond is a water permeable surfacing system using a blend of naturally decorative aggregates and recycled granules from used tyres. Our SUDS-bond is suitable for pedestrian, bicycle and equestrian traffic on pathways and rural trails. SUDS-bond meets the accessibility requirement for wheelchair users, prams and buggies. The black rubber granules and decorative aggregates are bound together with a specially formulated moisture curing polyurethane binder, to produce a firm surface with good grip and resilience. When constructed on a suitable base the surface is fully porous and meets the requirements for SUD's (Sustainable Urban Drainage Systems). Please note - 50mm depth can be installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base. When installed onto earth / grass without an engineered sub base on the sub surface and no other levelling or base preparation work is included in our quotation. As the surface is to be laid onto soil, no guarantee can be given in relation to strength or drainage performance of the sub structure and the finished surface will broadly follow existing contours. Should this be of concern, an engineered sub base (eg a stone base) should be installed prior to SUDs-bond installation. Supplied with red aggregate as standard. Silver or	£2,255.00	Discount	£2,255.00

stallat	1011	T				T
Qty	Code	Unit	Description	Price	Total Discount	Total Price
1.00	INST001	Each	Product Installation	£1,275.00		£1,275.00
			Installation of products contained within this quotation - subject to clause 5 of the Conditions of Sale attached to this document. Includes red hazard fencing for duration of works but excludes disposal off site of excavated material unless itemised separately elsewhere on quotation. Foundation excavations will be redistributed on site or piled within 20m of works area for client removal. Please note that if a skip or grab lorry has been included in your quotation, we will be removing excavations from site.			



Registered Office: As Above

Web: www.caloo.co.uk Registration No:6162029











Delivery						
Qty	Code	Unit	Description	Price	Total Discount	Total Price
1.00	DEL001	EA	Delivery. Please note for supply only projects a minimum of 2 persons will be needed or mechanical lifting equipment will be required for safe off-load (fork lift of similar)	£460.00		£460.00

Subject to Caloo Conditions of Sale

Current Manufacturing Lead Time 8-10 weeks

Subject to site survey

Sub Total	£13,052.00
Project Discount	£0.00
Total Net Amount	£13,052.00
Total Tax Amount	£2,610.40
Quotation Total	£15,662.40



Registered Office: As Above

Web: www.caloo.co.uk Registration No:6162029









Conditions of Sale v8.3 Oct 2020 Caloo Ltd

Definition

- a. Buyer the person, firm, Company or Public Authority placing an order which is accepted by Caloo Limited.
- b. Caloo / Monster Plav @ Caloo Caloo Limited - Part of the Abacus Lawrence Group Ltd.
- Conditions the conditions of sale outlined below.
- Order the order for goods or services placed by the buyer, oral and written.
- Goods the products or services which shall be provided by Caloo and to which this quotation, order acknowledgement or invoice refers including products, installation, civil engineering or any other works. No works or services are included by inference.
- f. Installation The agreed date for works to be undertaken between the buyer and Caloo
- g. Colour of Goods Caloo standard RAL colours unless specifically stated on the quotation, order acknowledgement or invoice.
- h. Completion the time of delivery and completion of the delivery note by the Buyer or Buyers authorised representative; where installation or civil engineering forms part of the contract, the signing of the installation acceptance by the Buyer or Buyers authorised representative excluding any maintenance or defects period or close of business two working days following notification of completion to the buyer when Buyer or Buyers representative have not advised any reasonable reason for non completion in writing to Caloo.
- Price the agreed cost of the goods as per quotation and any oral or written variations given by the Buyer or Buyers authorised representative.
- Quotation Document issued by Caloo incorporating the specifics of the goods to be supplied to the buyer.
- Credit Account a 30 day trade credit account opened by Caloo for the Buyer within 21 days of order following receipt of satisfactory credit score for whole value of buyers order(s) as advised by Caloo bank credit insurers
- Wasted Day Charge A charge of £1,200.00 + VAT.

- a. Any quotation given to the buyer, in whatever format, oral, written or electronic, is given subject to these conditions.
- b. These conditions are the only conditions under which Caloo shall provide Goods to the Buyer. Any conditions the Buyer attempts to impose which contradict these conditions will not be accepted without the specific agreement as defined in 2.d. below. Acceptance of goods
- or services shall constitute acceptance of these conditions.

 These conditions embody the entire understanding of the parties and supersede any prior promises, representations, undertakings or implications.
- Changes to these conditions will only be allowed if specifically agreed in writing by a Director of Caloo.
- Following acceptance of the Caloo quotation, any variation must be confirmed in writing and may be subject to additional costs.
- Any drawings, sketches, illustrations, layouts, specifications or other detail provided by Caloo and all intellectual property rights therein will remain the property of Caloo at all times.

Pricing

- a. All prices quoted shall be subject to Value Added Tax and any other Government duty or tax applicable at the time of invoice.
- b. All quotations are valid for 30 days unless specifically stated in writing on the quotation
- All quotations are net and do not include for Main Contractors Discounts (MCD) or retentions. Should either or both be required, prices should be grossed up accordingly.

- Caloo shall not be liable for any delay in delivery howsoever caused.
- Caloo reserve the right to invoice the Buyer on the date specified by the Buyer for the delivery of goods if delivery is delayed by the buyer at any time following order. Storage charges may be applied if delay is longer than one month.
- Caloo must be notified in writing within 3 working days of the delivery of any shortages or damages to the goods. Notification after this period will be beyond reasonable time for advice and subject to additional cost as defined in 2.e. above.

Specific clause relating to installation & civil engineering quotations and invoices

- Caloo shall not be liable for any delay in installation howsoever caused.
- Should Installation works be prevented by the buyer or buyers authorised representative for any reason within 24 hours of any installation day, Caloo reserves the right to charge a wasted day charge. The buyer agrees to pay this charge within the agreed payment terms as
- c. Should the buyer require any site specific work permits, risk or method statements or employee or sub-contractor certifications to allow works, these should be requested by the buyer a minimum of 28 days before works commence on site or at the time of order if works are to be undertaken within 28 days. Wasted day charges may be applied as detailed in 5b above if such requests are not received within specified times.
- Caloo allows for the provision of 1m high plastic mesh fencing to all installation works unless specifically shown otherwise within the quotation. Due to the knowledge of local conditions, it is the buyers responsibility to provide and maintain any other suitable security stem necessary to reduce the opportunity for incidents of any type.
- All installation or civil engineering quotations are given assuming unrestricted good hard vehicular access to site, soft ground conditions on site which require no machines to dig foundations and no underground obstructions or any materials which cause a hard dig. We have assumed the formation of the ground that we will be working on and gaining access across will be capable of bearing the weight of our work vehicles, delivery vehicles and any specialist equipment including but not limited to excavators and paving machines as required.
- All installation or civil engineering quotations are given in good faith and without digging into the ground. Once works commence, should site conditions require additional works or materials to meet product performance requirements or safety standards, clause 5h will apply.
- g. It is the Buyers responsibility under the CDM regulations to provide a comprehensive site survey including the provision of detailed under / over ground service information (electricity cables, gas pipes etc). No liability shall be accepted by Caloo for damages to services or consequential actions if comprehensive site survey is not accurate or not provided by the buyer.
- h. If any variations to the above site conditions or works are required to meet product performance requirements or safety standards are found to be in evidence, the Buyer will immediately be notified by telephone and as soon as possible in writing and invited to site to view the variation. Caloo reserve the right to charge at cost plus 35% of any costs incurred during the delay in the Buyer attending site and agreeing required variations. Caloo reserve the right to charge at cost plus 50% of any additional costs of works or materials required, plant hire and any other associated costs required to complete installation to Caloo product performance requirements or safety standards as required.
- It is the Buyers responsibility to ensure that Goods ordered fit the site intended for use. Caloo shall not be held responsible where Goods have been ordered that subsequently do not fit, howsoever caused. A separate quotation and order will be required to enable modification.
- Reinstatement to access route or works area is not included within our installation rates unless specifically detailed within the quotation.

Cancellation / Return

- a. Caloo will proceed with all necessary procurement to fulfil the terms of the contract on receipt of the Order.
- All equipment orders including stocked items, custom built, bespoke goods or any item procured from a third party supplier cannot be cancelled or returned.
 c. Caloo reserve the right to charge a cancellation charge of up to 95% of the Price for cancellations
- d. A re-stocking charge of 35% of the Price will apply to all returned Goods.

Quality / Limited Liability

- Caloo guarantees that all Goods manufactured by Caloo will be in accordance with its latest specifications or approved drawings.
- On Goods not manufactured by Caloo we give no warranty apart from that given by the original manufacturer. Details of products that fall into this clause within specific quotations can be supplied on request.
- All Civil Engineering works are guaranteed for twelve months from date of Completion
- Caloo offer a comprehensive product structural guarantee, details of which are available on request.
- Caloo reserves the right to vary the specification of any product without notice, provided that this does not effect conformity to the appropriate safety standard or materially impact upon the durability or finish of the product.

Risk and Title

- a. Risk on all goods shall pass to the Buyer on delivery of Goods to site or depot nominated orally or in writing by the Buyer on both supply only and supply and installation contracts. Caloo accept no responsibility for site or depot security other than reasonable site health and safety precautions. Additional site security or secure storage can be provided if specifically requested and will be charged to the Buyer at cost plus 35%. The Buyer will be responsible for all direct
- and consequential costs for maintaining and repairing / replacing vandalised items as required. Title of Goods shall only pass to the Buyer when payment is made in full of the Price thereof together with any and all other sums owing to Caloo in whatever nature are made, including retentions sums due following a defects period.
- c. The Buyer may sell and deliver the Goods to a third party in the course of the Buyer's business only on condition that until payment is made in accordance with 8.b. is made. The Buyer shall hold or assign all proceeds of such sales for Caloo and not assign without written authorisation from a Director of Caloo.
- d. Caloo reserve the right to repossess any Goods in respect of which payment is overdue immediately on giving notice in writing, fax or electronic format of its intention to do so, from wherever stored and thereafter to re-sell at the prices consistent with immediate sales; monies obtained will be credited to the Buyer to offset in whole or part the outstanding debt, less costs incurred in the repossession and re-sale. Any shortfall in the monies received shall remain the responsibility of the original Buyer.

Payment

- For buyers who hold a 30 day Credit Account with Caloo, invoices are raised on completion, (subject to clause 9c) and are due for payment within 30 days from the invoice date. Credit Accounts cannot be used for orders under £250 +VAT. Payment must be made with order.
- b. For buyers who do not hold a 30 day Credit Account, payment is required in cleared funds before
- manufacturing or procurement of the Goods or services commences. Manufacturing or procurement lead times commence on receipt of cleared funds and not the original order date. Where the installation of any order spans a calendar month end, it is the policy of Caloo to submit stage invoices worth 90% of completed works for payment which will become due for payment in accordance with 9.a. above.
- In the case of Orders where delivery is delayed by the Buyer an invoice for the value of the Goods will be issued to the Buyer on the date requested by the Buyer delivery, or if no date specified on the order, the date which corresponds to the minimum delivery lead time shown on the Caloo quotation which formed the basis of the contract accepted by the Buyer. Payment will become due in accordance with 9.a. above. Any additional storage and administrative charges will be invoiced to the Buyer at cost plus 35% and become due for payment in accordance with
- In the case of Orders where delays are incurred by Caloo prior to or during the completion of the contract due to situations beyond the control of Caloo such as works by others which have not been completed, weather or any other reasonable cause, an invoice will be issued to the Buyer for the goods on the agreed delivery date as specified in 9.d. and any labour costs incurred based on an estimate by Caloo of the works completed to date. These costs and any additional storage, administrative and plant hire charges will also be included on this invoice at the rates shown on the quotation or at cost plus 35% and become due for payment in accordance with 9.a. above.
- Caloo reserves the right to charge interest on overdue accounts at a rate of 15% over base rate in force from time to time of NatWest Bank Plc accruing on a daily basis.
- Where discount terms have been offered and account becomes overdue all discounts or incentives will be forfeited. A further invoice will be issued to the Buyer and the account will be charged at the rate quoted before any discount is applied.
- Any charges levied by bankers or collection agencies for dealing with dishonoured cheques or payments or incurred during collection of overdue accounts will be invoiced to the buyer and fall due immediately for payment.
- For Buyers who hold a 30 day Credit Account with Caloo, late payment may result in the removal of credit terms for future orders.

Force Majeure

a. Caloo shall not be liable to the Buyer for failure to deliver Goods where such failure is due or partly due to any cause outside the reasonable influence of Caloo, including but not limited to the shortage of raw materials, reduction in or unavailability of power, breakdown of machinery, shipping delays, riot or civil commotion, acts of war or acts of God.

Law and Jurisdiction

a. These conditions are governed by English Law. Any dispute arising out of these Conditions of Sale shall be submitted to the exclusive jurisdiction of the English Courts.

12 General

- a. If any provision of these conditions is held by any competent authority to be invalid or unenforceable in whole or part, the validity of the other provisions of these Conditions of Sale and the remainder of the provision in question shall not be affected.
- No waiver by Caloo of any breach of the contract by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.
- c. These conditions constitute the entire agreement between the parties, supersede any previous agreement or understanding and may not be varied except in writing by the parties. All other terms and conditions express or implied by statute or otherwise, are excluded to the fullest extend permitted by law.
- d. Any notice required or permitted to be given by either party to the other under these conditions shall be in writing addressed to the other party at it's registered office or principal place of business or such other address as may be relevant at the time having been notified pursuant to this provision to the party giving notice.
- A person who is not party to these conditions has no right under the Contracts (Rights of Third Parties) Act 1999 to enforce any term of these conditions but this does not affect any remedy or right of any third party which exists or is available apart from that Act.

As part of the Abacus Lawrence Group Ltd, we provide surfaces for a wide range of customers and applications. Our quotations are prepared with the following conditions and assumptions in addition to our conditions of sale.

General conditions and assumptions applicable to all surface quotations

- Our quotation is based on works being carried out in one continuous visit, with access to within 30 linear metres of
 the site for an 18 tonne lorry. We accept no liability for any damage caused by our vehicles, including (but not
 limited to) surfaces, services, buildings/fencing or vehicles on site premises. Quotations are provided assuming
 unrestricted good hard vehicular access to site. Should any site not be ready and prepared for arrival we reserve
 the right to charge for the loss of a standard day at a rate of £1,200.00+VAT.
- Installations that require an increase is depth or surface area will be charged at a proportionate value. Variations
 provided by the buyer post installation, which reduce invoice value and have not been advised to ourselves and
 agreed during project works may not be considered for revision.
- Our play surfaces have been tested and meet the recommendations set out in British and European standards
 BS7188 and EN1177. We guarantee our surfaces meet these standards at the time of installation and cannot be
 held responsible for future performance to these standards due to factors beyond our control such as maintenance,
 misuse, damage/spills or sub structure degradation. All surfaces are installed by hand and as such consistency of
 finish may vary between sites. On certain projects there may be a need for joins in the surface. Our price does not
 allow for any testing on completion.

Wet Pour

Additional conditions and assumptions when quoting for Wet Pour surfaces onto engineered sub bases / edgings

- Black Wet Pour is guaranteed for 3 years and Coloured Wet Pour for 5 years, this guarantee excludes any failure
 due to drainage and / or sub structure. Due to natural movement in rubber polymers we exclude edges and joints
 from our standard guarantee. We cannot guarantee the bonding of old rubber with new. Old rubber may continue to
 shrink and cause joint or edge splitting. Please request a copy of our guarantee certificate for full
 provisions/exclusions.
- Black EPDM is a recycled rubber product emanating primarily from the automotive industry and as such contains
 carbon and other compounds which may stain susceptible materials. As a recycled material black EPDM can suffer
 from accelerated wear and degradation in high use areas and as a result crumbing can occur. For these reasons,
 we do not recommend this product be laid in areas of high use or intended for use by toddlers and young children
 who may crawlist on the surface.
- Aromatic Polyurethane Binders are susceptible to U. V. discolouration, the degree of which can vary greatly due to
 the atmospheric conditions prevalent at the time of laying. This discolouration may, in certain circumstances, affect
 the finished colour of the surface particularly where a lighter colour has been chosen. Any discolouration that may
 occur is temporary and will wear off over time. This applies to all surfaces installed using polyurethane binders.
 Mirrors can focus the suns heat and can damage surfaces. Please ensure any mirrors do not direct the heat onto
 the surface. We cannot be held responsible for any damage because of mirrors.
- It is the client's responsibility to ensure that the thicknesses quoted for are sufficient for the critical fall height of the
 equipment that it is to serve. It is also the client's responsibility to ensure that the product requested is fit for
 purpose. Any repairs carried out to existing surfaces cannot be guaranteed.

Additional conditions and assumptions when quoting for Wet Pour surfaces onto non-engineered ground.

- All general conditions and assumptions and additional conditions and assumptions when quoting for Wet Pour surfaces onto engineered sub bases / edgings.
- Some or all of the Wet Pour quoted is to be installed onto existing ground conditions and undulations. No levelling or base preparation work has been included in our quotation. As the surface is to be laid onto / over existing surfaces, no guarantee can be given in relation to strength or drainage performance of the sub structure and the finished surface will follow existing contours. Should this be of concern, an engineered sub base should be installed prior to rubber installation. Adhesion of wetpour to existing surface including cut and chase edge, note: this guarantee excludes failure caused as a result of a structural instability in the existing surface.

Additional conditions and assumptions when quoting for Wet Pour repairs

- All general conditions and assumptions and additional conditions and assumptions when quoting for Wet Pour surfaces onto engineered sub bases / edgings. No warranty is offered for wet pour repairs.
- Some or all of the Wet Pour quoted is to be installed onto existing ground conditions and undulations. No levelling or
 base preparation work has been included in our quotation. As the surface is to be laid onto / over existing surfaces,
 no guarantee can be given in relation to strength or drainage performance of the sub structure and the finished
 surface will follow existing contours. Should this be of concern, an engineered sub base should be installed prior to
 rubber installation

Bonded Rubber Mulch

Additional general conditions and assumptions when quoting for Bonded Rubber Mulch surfaces onto engineered sub bases /edgings.

- Bonded Rubber Mulch is guaranteed for 3 years (provided wear pads are installed into areas of high use), this
 guarantee excludes any failure due to drainage and / or sub structure. Please request a copy of our guarantee
 certificate for full provisions/exclusions.
- Bonded Rubber Mulch is a recycled and colour coated SBR rubber product emanating primarily from the automotive
 industry and as such contains carbon and other compounds which may stain susceptible materials meaning that
 colour run and carbon blacking may occur. For this reason, we do not recommend this product be laid in areas
 intended for use by toddlers and young children who may crawlist on the surface.
- Aromatic Polyurethane Binders are susceptible to U. V. discolouration, the degree of which can vary greatly due to
 the atmospheric conditions prevalent at the time of laying. This discolouration may, in certain circumstances, affect
 the finished colour of the surface particularly where a lighter colour has been chosen. Any discolouration that may
 occur is temporary and will wear off over time. This applies to all surfaces installed using polyurethane binders.
 Mirrors can focus the suns heat and can damage surfaces. Please ensure any mirrors do not direct the heat onto
 the surface. We cannot be held responsible for any damage because of mirrors.
- It is the client's responsibility to ensure that the thicknesses quoted for are sufficient for the critical fall height of the
 equipment that it is to serve. It is also the client's responsibility to ensure that the product requested is fit for
 purpose. Any repairs carried out to existing surfaces cannot be guaranteed.

Additional conditions and assumptions when quoting for Bonded Rubber Mulch surfaces onto non-engineered ground.

- All general conditions and assumptions and additional conditions and assumptions when quoting for Bonded Rubber Mulch surfaces onto engineered sub bases / edgings.
- Some or all of the Bonded Rubber Mulch quoted is to be installed onto existing ground conditions and undulations. No levelling or base preparation work has been included in our quotation. As the surface is to be laid onto / over existing surfaces, no guarantee can be given in relation to strength or drainage performance of the sub structure and the finished surface will follow existing contours. Should this be of concern, an engineered sub base should be installed prior to rubber installation. Adhesion of Bonded Mulch to existing surface including cut and chase edge, note: this guarantee excludes failure caused as a result of a structural instability in the existing surface.

Additional conditions and assumptions when quoting for Bonded Rubber Mulch repairs.

- All general conditions and assumptions and additional conditions and assumptions when quoting for Bonded Rubber Mulch surfaces onto engineered sub bases / edgings.
- Some or all of the Bonded Rubber Mulch quoted is to be installed onto existing ground conditions and undulations. No levelling or base preparation work has been included in our quotation. As the surface is to be laid onto / over existing surfaces, no guarantee can be given in relation to strength or drainage performance of the sub structure

and the finished surface will follow existing contours. Should this be of concern, an engineered sub base should be installed prior to rubber installation.

SUDS-Bond

Additional general conditions and assumptions when quoting for SUDS-Bond onto engineered sub bases / edgings.

- Abacus Playgrounds Ltd guarantees its SUDS-bond® permeable surfaces for a period of 5 years from date of installation to be free from defects due to faulty materials and workmanship in the manufacture and installation of the surface, please request a copy of our guarantee certificate for full provisions/exclusions.
- SUDS-bond incorporates SBR rubber granules which can colour run and carbon blacking may occur
- SUDS-bond™ is suitable for pedestrian, bicycle and equestrian traffic. The full strength of the surface will not be
 realized for 3 days after installation therefore it is advisable to restrict use during this time. It is the client's responsibility
 to ensure that the product requested is fit for purpose.
- The new surface will follow the levels and contours of the new substrate. We cannot accept liability for any movement in the substrate. Substrate movement may cause cracking of the new surface. Installation onto standing puddles of water will indemnify any guarantee.
- Aromatic Polyurethane Binders are susceptible to U. V. discolouration, the degree of which can vary greatly due to the atmospheric conditions prevalent at the time of laying. This discolouration may, in certain circumstances, affect the finished colour of the surface particularly where a lighter colour has been chosen. Any discolouration that may occur is temporary and will wear off over time. This applies to all surfaces installed using polyurethane binders. Mirrors can focus the suns heat and can damage surfaces. Please ensure any mirrors do not direct the heat onto the surface. We cannot be held responsible for any damage because of mirrors.
- SUDS-bond meets the accessibility requirement for wheelchair users, prams and buggies.
- Any repairs carried out to existing surfaces cannot be guaranteed

Additional general conditions and assumptions when quoting for SUDS-Bond onto non-engineered ground.

- All general conditions and assumptions and additional conditions and assumptions when quoting for SUDS-Bond onto
 engineered sub bases / edgings.
- Some or all of the SUDS-Bond quoted is to be installed onto existing ground conditions and undulations. No levelling or
 base preparation work has been included in our quotation. As the surface is to be laid onto / over existing surfaces, no
 guarantee can be given in relation to strength or drainage performance of the sub structure and the finished surface will
 follow existing contours. Should this be of concern, an engineered sub base should be installed prior to rubber
 installation.

Resin Bound Gravel

Additional general conditions and assumptions when quoting for Resin Bound Gravel onto engineered sub bases / edgings.

- Abacus Playgrounds Ltd guarantees its resin-bound permeable surfaces for a period of 15 years from date of installation to be free from defects due to faulty materials and workmanship in the manufacture and installation of the surface.
 Please request a copy of our guarantee certificate for full provisions/exclusions.
- Aromatic Polyurethane Binders are susceptible to U. V. discolouration, the degree of which can vary greatly due to the atmospheric conditions prevalent at the time of laying. This discolouration may, in certain circumstances, affect the finished colour of the surface particularly where a lighter colour has been chosen. Any discolouration that may occur is temporary and will wear off over time. This applies to all surfaces installed using polyurethane binders. Mirrors can focus the suns heat and can damage surfaces. Please ensure any mirrors do not direct the heat onto the surface. We cannot be held responsible for any damage because of mirrors.
- All quotations are based on standard gravel binders that may yellow over time. Non-yellowing binder is available on request at an additional cost.
- It is the client's responsibility to ensure that the product requested is fit for purpose. Any repairs carried out to existing surfaces cannot be guaranteed.

Polymeric Sports Surfaces

Additional general conditions and assumptions when quoting for polymeric sports surfaces.

- Abacus Playgrounds Ltd guarantees the synthetic surface namely 'Polymeric Type 4', against defects in materials and workmanship on the shockpad for a period of 5 years and the spray coat for a period of 3 years from the date of surface completion. Abacus Playgrounds guarantees the synthetic surface namely 'Polymeric type 3', against defects in materials and workmanship on the shock pad for a period of 5 years and the spray coat for a period of 12 months from the date of surface completion. Please request a copy of our guarantee certificate for full provisions/exclusions.
- Prices are based on works being carried out in one continuous visit, with access to within 30 linear metres of the site for a heavy goods vehicle. We require dumper and forklift access no smaller than 1700mm width from the above mixing truck position to the work area and is good and on reasonably level ground.
- Site security may be required for the curing period and this is to be provided by client. Site security during and post
 installation has not been allowed for within our rates unless specifically detailed within quotation wording.
- Polymeric sports surfaces are usually only able to be laid between April and October in the UK due to the system being
 cured through moisture and temperature. Should installations be instructed to be completed when conditions are not
 suitable at the discretion of our Contracts Manager, no warranty will be offered.
- Should an instruction be received to undertake works in either September or October, weather conditions may be
 unsuitable at the time specified. If we are unable to lay the surface at this time, we reserve the right to charge for the
 polymeric paint as this has a short shelf life and will not be suitable for use when weather conditions improve the
 following April.
- We have exclusive access to the pitch area throughout the period required to install the surface.
- Tarmacadam base is to conform to our standard specification and level tolerances.

Play Grass Surfaces

Additional general conditions and assumptions when quoting for play grass surfaces.

- This is a polypropylene fibre grass with a lighter coloured thatch and heavy duty porous backing sheet. It is a sand
 dressed surface suitable for low to medium traffic areas, low impact play areas (nurseries, playgrounds etc.) 5 year
 guarantee when maintained in accordance with our maintenance schedule. Please request a copy of our guarantee
 certificate for full provisions/exclusions.
- Please note this price is subject to being provided with a dimension drawing showing any equipment or obstacles to be laid around. No wastage/cut loss has been allowed for. Please contact us for information on sub base preparation.
- Please Note Seams where the grass is joined together, or where we have had to cut around obstacles within the area such as play equipment may be visible. Mirrors can focus the suns heat and can damage surfaces. Please ensure any mirrors do not direct the heat onto the surface. We cannot be held responsible for any damage because of mirrors
- It is the client's responsibility to ensure that the thicknesses quoted for are sufficient for the critical fall height of the equipment that it is to serve. It is also the client's responsibility to ensure that the product requested is fit for purpose. Any repairs carried out to existing surfaces cannot be guaranteed.



ORDER FORM

Quotation-040106

Value: £13,052.00 + VAT

Dear Sirs,

Please accept this document confirmation of our acceptance of the quotation number shown above and authorisation to proceed with the works contained within this quotation in accordance with the Caloo Conditions of Sale.

Your quotation has been * accepted without modification / accepted with the following modifications detailed below. (* Please delete where applicable).

Modifications to quotation (if relevant)

Organisation name:	
(Please insert the full Legal name of the Company or Organisation who is placing	,
Organisation Address:(Please insert the full postal address and postcode of the Organisation)	
	Postcode
Order Number(If applicable – Please attach copy)	Local Authority School? Yes / No
Company / Charity Reg Number	Requested Start Date
Contact Name	
(Please insert the name of the person placing the order who is authorised by the	Organisation to enter into this contract)
Tel number(Landline number please)	Mobile number
Email	
Signed	Date
Authorised to sign on behalf of	
(Insert Company / Organisation Name)	

Caloo Order Form - Page 1 of 2







Registration No:6162029

Registered Office: As Above



ORDER FORM

Quotation-040106

Value: £13,052.00 + VAT

Accounts Information

Accounts Contact Name:
Accounts Contact Address:
Postcode
Accounts Contact Email:
Accounts Contact Telephone Number
Company Registration Number:
VAT Registered:
VAT Number:
CIS Registered:
UTR Number/ Industry Insurance Number:
Are you the End User?:
Please tick this box if Accounts details are as per page 1
Site Information
Full Site Address: (Please insert the full postal address and postcode of the site where works are to be completed)
Postcode
Site Contact Name: (Please insert the name of the person we should contact to organise delivery / installation)
Site Contact Number
Site Contact Email Address













ORDER FORM

Please tick this box if Site details are as per page 1

Caloo Order Form - Page 2 of 2







Registration No:6162029

Registered Office: As Above